

50-YEAR LEGACY

In 1962, Edgar Hetteen had a dream to build a machine that traveled across the snow on motorized power. And so began a lifelong passion for legions of riders who found themselves hooked on the Arctic Cat brand. Through the years that passion spread to the sand, mud, dirt, rocks, cow pastures and hunting grounds with ATVs and Side by Sides. That love affair has grown, producing a loyal group of snowmobilers, hunters, fishermen, cabin owners, farmers and ranchers, and people who just love to get out and ride. And a company whose employees all share that same unbridled passion for the outdoors and the products they build and sell. 50 years. Like everything else at Arctic Cat, it goes really fast. Arctic Cat. Share Our Passion.™



ATVs and ROVs can be hazardous to operate. For your safety always wear an approved helmet, eye protection, and protective clothing. Never engage in stunt driving; riding and alcohol/drugs don't mix and could cause serious injury or even death. Avoid excessive speeds and be particularly careful on difficult terrain. Arctic Cat recommends that all riders read and understand their operator's manual before operation. Along with concerned conservationists everywhere, Arctic Cat urges you to "Tread Lightly" on public and private lands. Ride only on designated areas or trails. Preserve your future riding opportunities by showing respect for the environment, local laws, and the rights of others when riding. Do not shoot from or lean firearms or bows against the ATV or ROV. Never carry a passenger on a single-rider ATV. **Only ride an ATV that is right for your age. Supervise riders younger than 16.** ATVs are only recommended for users over 12 years old. Arctic Cat recommends that all riders take a training course. For safety or training information in the U.S., call the ATV Safety Institute at (800) 887-2887. In Canada, call the Canada Safety Council at (613) 739-1535 or see your dealer.

We recommend all ROV operators have a valid driver's license. All occupants must wear a seat belt, approved helmet, eye protection and protective clothing. Never carry a passenger in the cargo box; the passenger must be able to place both feet on the floor while keeping their back against the back of the seat. Advantage® Timber is a trademark of Advantage Camouflage, Inc. FOX Float® is a registered trademark of FOX Racing Shox. Maxis is a trademark of Maxis International. WARN® is a registered trademark of Warn Industries, Inc. Arctic Cat, Arctic Circle, Arcticwear, Cat, Duramatic, DVX, MudPro, Prowler, Share Our Passion, SPEEDPoint, SpeedRack, TBX, Team Arctic, TRV, XT, XTX, HDX, Wildcat and TZ are trademarks or registered trademarks of Arctic Cat Inc. ©2011 Arctic Cat Sales Inc., Thief River Falls, MN 56701. Arctic Cat ATVs and Side by Sides are world-class products from Arctic Cat Inc. Printed in the U.S.A.

tread lightly!
LEAVING A GOOD IMPRESSION™



ARCTICCAT.COM

Part #5224-050 US/CE ATV110034



ATVs AND SIDE BY SIDES



SHARE OUR
PASSION
BUILT BY ARCTIC CAT - AN AMERICAN COMPANY


2012

**BUILT RIGHT.
RIGHT HERE.**

MODEL YEAR 2012 ATVS/SIDE BY SIDES
BUILT BY ARCTIC CAT - AN AMERICAN COMPANY

YOU TEND TO BUILD A GREAT MACHINE WHEN THE ATV OR SIDE BY SIDE YOU'RE BUILDING COULD VERY WELL BE YOUR OWN.

At Arctic Cat®, we roll up our sleeves and get to work. We make each machine as if it were our own. With pride, determination and a sense of know-how like no other. Using the best technology, showcasing the best features. Why? 'Cause we ride just like you. So when you buy one of our ATVs or Side by Sides, know this: From our engine plant in St. Cloud to our factory in Thief River Falls, our rider-made machines are built right, right here.



When you ride, only the best will do. And make no mistake — the best is Arctic Cat. What do we mean when we say “best”? It’s a machine loaded with features to help you find that prize buck. Or claim the most secretive of fishing spots. Or just go ride your tail off. We load ‘em up so you can load ‘em up. Because we love doing that stuff too. When it comes to riding the best, it’s all or nothing.

BEST OF THE BEST

WILDCAT	8
PROWLERS	12
COMPETITION	18
RECREATION	22
4x4 SPORT	28
2-UP TRAIL	34
UTILITY	40




When it comes to Arctic traction, articulation is the name of the game. Most of our ATVs don't use sway bars, so all four tires stay in constant contact with the ground. Go over rocks, stumps or downed trees. Bottom line: Four wheels on the ground means better traction and better overall ride. And our Prowlers with fully independent suspensions and 2WD/4WD with differential lock give you all the traction you'll ever need.




2WD/4WD DIFF LOCK SWITCH

STANDARD 4-WHEEL DRIVE
Power is delivered to both the rear and front tires via the open front differential. This allows the front tires to spin at different speeds maintaining easy steering.



4-WHEEL DRIVE FRONT DIFF LOCK
Power is delivered equally to all 4 tires providing maximum traction to get through gnarly terrain.




Our H2 and H1 engines are built in St. Cloud, Minnesota. The H2 1000 V-twin engine displays big-time displacement in an ATV — 951cc. The “H” stands for hemispherical combustion chamber, which provides a cleaner, more complete combustion. EFI delivers consistent starting and performance, regardless of climate or altitude. The H1 engine in our 700i, 550i, 450i and 425i provides ultrasmooth performance. And our 350 carbureted engine adds something else powerful: value.

1000 H2
951cc. 90° V-Twin with EFI.



DURAMATIC AUTOMATIC TRANSMISSION

Our Duramatic™ automatic transmission needs no introduction. As bulletproof as they come, this durable transmission is made of a centrifugal clutch with primary and driven belt clutches. As RPMs rise, the centrifugal clutch engages — allowing the primary clutch to be engaged with the belt at all times. What this does is reduce belt wear, extend belt life and provide true engine braking.



700 SUPER DUTY DIESEL

This bruising Lombardini 686cc, 2-valve inline twin diesel engine runs on six different types of fuel: DF1, DF2, DF-Arctic, JP5, JP8 and Biodiesel. **See page 41.**




Arctic Cat has always been at the forefront of ride technology. We've pioneered the art of suspensions, including our Side by Side suspensions with FOX Float® rear shocks on the HDX,™ our fully independent suspensions and our Ride-In suspension. And our 2-up technology has revolutionized the category, featuring heated handlebar and passenger handgrips, protective fairing and windshield, and deluxe digital and analog gauge.



ELECTRONIC POWER STEERING

Delivers a true variable assist system by measuring not only vehicle speed, but also steering torque at both the handlebars and wheels. The electronic control unit measures steering input forces, resistance and speed, alerting the motor to deliver turning forces at predetermined levels.



RIDE-IN SUSPENSION

Designed and proven on the racetrack, our Ride-In suspension features a lower profile and seat design, allowing for a lower center of gravity without sacrificing travel. Double A-arms prevent deflections during cornering, so steering remains consistent.



Versatility is the name of the game. For instance, the TRV's 3-in-1 passenger seat allows you to remove it by just pulling two pins. Replace it with an accessory SpeedRack® or a heavy-duty cargo box. Our SPEEDPoint™ utilizes an easy-access, three-point attachment so you can add or change attachments easily. And 2-inch receivers make towing quick and simple.

PROWLER HDX

The HDX comes with a large 55.5" x 42.5" x 12" cargo box that hauls up to 1,000 lbs. It has 30% more volume than the competition. You can also take the sides off to form a flatbed so you carry the big things you need. **See pages 16–17.**




TBX

The TBX™ 700i is renowned for its large tilting rear box. It has a 300-lb. capacity with handy tie-down attachment points built into the box and frame. When it's time to unload, just pull the latch, tilt back and dump. **See page 40.**



SPEEDRACK SYSTEM

Our strong, durable SpeedRacks allow for speedy installation and removal of a wide variety of accessories with no tools. All of our SpeedRack accessories can be found in our **2012 Accessories & Arcticwear® catalog.**



WHOA!

Just look at it. We can almost hear your eyes popping out of their sockets. We understand. Because the all-new Wildcat® is the hottest machine to ever be seen...anywhere. And just wait 'til you ride it. Massive power. Dune-blasting suspension. And of course the high-strength exoskeleton frame. Just try to tell your goose bumps to stand down. So find a sand dune or gnarly trail. A long weekend. Maybe a buddy ridin' shotgun. And you're perfect.




HIGH PERFORMANCE
— SIDE BY SIDE —

UNTAMED



WILDCAT 1000i H.O.

Color Options



18" INDUSTRY-LEADING TRAVEL

5-pt. multilink system keeps the tire in constant contact while the suspension fully cycles through an industry-leading 18 inches of travel.

WILDCAT 1000i H.O.

HIGH PERFORMANCE

ENGINE

With a 951cc, H2, liquid-cooled 90° V-twin, the Wildcat brings plenty of power to the ground, sand, dirt, whatever. A hemispherical combustion chamber provides complete combustion, which means plenty of mega-power for you. The massive H.O. 4-stroke engine is built for massive torque and serious arm-stretching power via a 2-into-1 tuned exhaust.



EXOSKELETON FRAME

Inspired by sand rail racers, the exoskeleton frame of the Wildcat is one to be marveled. The full perimeter frame is an industry first on a mass-produced vehicle. The front end remains light for better dynamics when tackling gnarly terrain at high speed, while the entire frame withstands excessive loads sent through the chassis via the massive suspension travel. And most importantly, it looks wicked cool.

SUSPENSION

The front and rear suspensions of the Wildcat are works of pure genius. No other 64-inch-wide ROV can claim to maintain wheel geometry through its full range of travel. The rear suspension has a first-ever 5-pt. multilink system that keeps the tire flat while the suspension fully cycles through an industry-leading 18 inches of travel. The 5-pt. link reduces camber and axle plunge to soak up harsh terrain.



GENERAL FEATURES:

- Engine: 951cc H2 EFI H.O.
- Adjustable Walker Evans Reservoir Shocks
- Stylish and ultradurable exoskeleton frame
- Electronic power steering
- High-flow air intake
- 18" of rear suspension travel
- 13" of ground clearance
- LED lighting
- 14" aluminum rims
- Black Metallic paint or Arctic Green Metallic paint
- 2-1 ceramic-coated pipe with tuned exhaust



**NEVER FEEL LEFT BEHIND
WHEN YOU'RE SIDE BY SIDE.**

Maybe you're a hunter. A farmer. A woodsman. A guy who knows where that perfect fishing spot is. Or maybe, just maybe, you're a rider who just has to get out there to see what nature has to challenge you with. Yet two things are for certain. One - you're not riding alone. Two - you're not riding some ordinary machine. Oh, no. You're on one of the greatest machines ever built - the Prowler.[®]

RECREATION • UTILITY
SIDE BY SIDE

PROWLERS



XTZ 1000i

Color Option



XTX 700i

Color Options



XT 550i

Color Options



XTZ 1000i
XTX 700i
XT 550i

REC SIDE BY SIDE

XTZ

The ultimate of the ultimate all-around recreational machines is the XTZ™. Whether you're hitting the Glamis sands or hauling a buddy around some dirt track, the XTZ stands alone. Equipped with a 951cc engine, Maxxis® Bighorn tires, ProGrip steering wheel, bucket seats and hot graphics.



XTX

If you're a fisherman or woodsman, the XTX™ is your reliable Side by Side. Take it where you need to go. It'll get you there. This Prowler gives you a 695cc engine, tilt steering, 2WD/4WD with front differential lock, amazing ground clearance and a durable rear cargo box. Get out there. The call of the wild is calling your name.



XT

The Prowler XT™ definitely blurs the line between work and play. For work, it comes equipped with a tilting rear cargo box and a 2-inch receiver. For play, it has a fully independent suspension, 10 inches of ground clearance and a 550 H1 EFI engine. What you do with it next is your decision.



GENERAL FEATURES:

- Duramatic automatic transmission
- Fully independent suspension
- 10" of ground clearance and suspension travel
- Tilting rear cargo box
- Front and rear 2" receivers
- Digital/analog gauge (XTZ and XTX)
- Underhood front cargo space
- Automotive-style paint
- Aluminum rims





BIG LIFTER



HDX 700i

Color Options

PROWLER HDX 700i

UTL SIDE BY SIDE

HDX

If you have some hard work or heavy lifting to do, the HDX has your back. Especially when the rear cargo box can haul up to 1,000 pounds. Haul gravel, rocks or all of your tools if you want. You can also take the sides off and form a flatbed. Now that's hard working versatility.



POWER STEERING WITH TILT STEERING WHEEL

Our electronic power steering provides variable assist, which measures steering input force versus tire resistance along with speed to provide the proper amount of power steering assist. And tilt steering allows you to adjust the steering wheel higher or lower — however you want.



FLATBED

So when you have some lumber to haul or you finally snagged that huge 12-point wall-hanger, throw 'er on your flatbed. Just remove the sides of the cargo box with the included tools and you have your flatbed to handle the job.



GENERAL FEATURES:

- Adjustable FOX Float rear shocks
- 3-passenger seat
- Large rear cargo box
- Power steering with tilt steering wheel
- Dashboard shift with park
- Side storage compartments
- Front and rear 2" receivers
- 14" aluminum rims
- Available in Tungsten Metallic paint, Emerald Green Metallic paint or Advantage® Timber™ Camo

COMPETITION

ATVS



TODAY'S FORECAST: MUD.

You can't fight nature. You just can't. As you sit at the starting line and see that mud pit ahead, you know you just gotta hit it. Like a moth drawn to a flamethrower. Except this moth has Maxxis Zilla tires and a snorkel. Powerful essentials. 'Cause there's something else you can't fight — your competitive nature. A force just as powerful as nature itself.



MUD SLINGER



MUDPRO 1000i MUDPRO 700i

COMPETITION ATV

LTD PACKAGE

When you want top-of-the-line features, the LTD package delivers big-time. You get aluminum rims, automotive-style paint and power steering. But you also get a winch and heavy-duty bumpers. So when your buddy gets stuck in the mud, you can winch him out.



STANDARD PACKAGE

Our MudPro™ standard package has what you need to get you through the deep stuff. It includes Duramatic automatic transmission, race-inspired suspension, 2WD/4WD, front differential lock and a cool snorkel air intake.



MAXXIS ZILLA TIRES

When you're looking for superb mud traction, Maxxis Zilla tires have no match. Light and fast, these tires deliver a smooth run through the mud. Designed for quick acceleration and incredible mud-slinging traction.



GENERAL FEATURES:

- Snorkel air intake
- 14" of ground clearance
- 28" Maxxis Zilla tires with 1" tread depth
- On-the-fly 2WD/4WD
- Front differential lock
- Rear 2" receiver
- Front and rear SpeedRacks
- Power steering (LTD)
- Aluminum rims



1000i LTD

Color Option



700i LTD

Color Options



700i

Color Option



RECREATION

ATVS

ROCK PILES JUST GOT TAKEN FOR GRANTED.

There are places you just have to go. Podiums of granite you have to climb. Nothing is going to deny you from taking what is yours. Because you have the Arctic will. And the Arctic Cat to get you there. These big bores aren't built for just anyone. They're built for you. So take the rocky path. Scale that downed tree. You've got a V-twin and a purpose. Your destination of destiny beckons. You hear it. So does your machine.





BIG BORES



1000i
700i

RECREATION ATV

LTD PACKAGE

When you want top-of-the-line features, the LTD package delivers. And then some. You get all the sweet features the GT has ... aluminum rims, automotive-style paint and power steering. But you also get a winch and heavy-duty bumpers. So when you need to bring it all to the trail ... by all means, bring it all.



GT PACKAGE

This package is the perfect choice for riders everywhere. Especially with features like aluminum rims, automotive-style paint and electronic power steering. You can't go wrong with the GT. Just fast and super cool.



STANDARD PACKAGE

The standard package gives you incredible features, without busting the bank. Features like powder-coated steel rims and the coolest colored plastic you've ever seen. Now that's how everyone should ride.



GENERAL FEATURES:

- Duramatic automatic transmission
- Race-inspired Ride-In suspension
- 11" of ground clearance
- On-the-fly 2WD/4WD
- Front differential lock
- Rear 2" receiver



1000i GT

Color Option



700i LTD

Color Option



700i GT

Color Options



700i

Color Option



MIDDLEWEIGHT CHAMPS



550i
450i

RECREATION ATV

LTD PACKAGE

LTD is just a short way to say top-of-the-line. Cool-looking aluminum rims, Desert Red paint or Arctic Green Metallic paint and power steering. But you also get a 3,000-lb. winch and heavy-duty bumpers. Everything ... that's what the LTD brings to the table.



GT PACKAGE

With features like aluminum rims, automotive-style paint and electronic power steering, these machines look as cool as they are fun to ride. You could almost say "GT" stands for "good time." Which it most certainly does.



STANDARD PACKAGE

Value packed. Standard packages include Duramatic automatic transmission, race-inspired suspension, 2WD/4WD and cool-looking colored plastic.

GENERAL FEATURES:

- Duramatic automatic transmission
- Ride-In suspension
- 11" of ground clearance
- On-the-fly 2WD/4WD
- Front differential lock
- Front and rear SpeedRacks
- Rear 2" receiver
- Digital/analog gauge (LTD & GT package)



550i LTD



550i GT



450i GT



550i



450i

ULTRA COMPETITOR



XC 450i

4x4 SPORT


IN A CLASS ALL BY ITSELF

If you're looking for the ultimate 4x4 sport machine, the race-inspired, fully automatic XC 450i 4x4 with EFI is right in your crosshairs. Direct hit on looks, performance and all the big-time 4x4 features you demand in a sport ATV. Take on mudholes. Rock piles. Sand dunes. And on the trail, the XC's handling and cornering is simply unsurpassed. The XC 450i. It's everything you want ... in one dominating machine.



2WD/4WD

Just flip the 2WD/4WD switch conveniently located on the handlebar and you'll easily get where you need to go. The double A-arm, fully independent suspension with 5-position preload adjustment provides plenty of smooth performance-oriented control.



SUSPENSION

Plenty of ground clearance to scale over boulders or logs, while the rear sway bar adds increased cornering performance.



GENERAL FEATURES:

- Engine: 443cc, liquid-cooled EFI
- Duramatic automatic transmission
- Sporty, race-inspired styling
- Double A-arm, fully independent suspension
- On-the-fly 2WD/4WD
- Cast aluminum wheels
- Dual taillights and backup lights
- 2" receiver



XC 450i

Color Options



TRAIL TAMERS



425i 350

RECREATION ATV

SE PACKAGE

Our SE package is complete from rack to receiver. Starting with a Duramatic automatic transmission, fully independent suspension, on-the-fly 2WD/4WD, digital gauge, cool automotive-style paint, aluminum rims, front and rear racks and dual taillights and backup light.



POWER

The 425i and 350 consistently bring plenty of performance, versatility and value to the dirt table. The 350 displays a 4-stroke, 4-valve air- and oil-cooled engine. While the 425i displays a 443cc, liquid-cooled engine with electronic fuel injection.



SUSPENSION

The fully independent suspension enhances traction by providing full tire contact with the ground. A-arms provide strength and stability over many types of terrain.



GENERAL FEATURES:

- Duramatic automatic transmission
- Fully independent suspension
- On-the-fly 2WD/4WD
- 10" of ground clearance
- Rear 2" receiver
- Digital gauge
- Front and rear steel racks
- Dual taillights and backup lights



425i SE

Color Options



425i

Color Options



350

Color Options





FUN RUNNERS



300 DVX Color Option

300 DVX SPORT ATV

300 DVX™ FEATURES:

- Engine: 270cc liquid-cooled 4-stroke
- Duramatic automatic transmission
- Removable fenders
- Double A-arm front suspension
- Adjustable shocks
- Wide stance
- Headlight and taillight



300 FEATURES:

- Engine: 270cc liquid-cooled 4-stroke
- Duramatic automatic transmission with hi, low and reverse
- Fully independent front suspension
- Preload adjustable shocks
- Digital gauge
- Front and rear steel racks



300 2X4 Color Option

300 2X4 RECREATION ATV

2-UP TRAIL.
TRVS



**LISTEN TO THE ANGEL ON
YOUR SHOULDER. SHE'S
BETTER WITH DIRECTIONS.**

The world is out there. Trails ready to be taken. And with the right person, along with the right ATV, an experience nothing short of perfect. As smooth and comfortable a 2-up ride you'll find here, there or anywhere. With all the comforts of a touring penthouse suite. Ride mile after mile. Adventure after adventure. And do it all over again tomorrow. That's riding at its finest.

EASY RIDERS



TRV 1000i CRUISER

Color Option



TRV 700i CRUISER

Color Options



TRV 550i CRUISER

Color Options



TRY 1000i CRUISER TRY 700i CRUISER TRY 550i CRUISER

2-UP TRAIL

TRV CRUISER

Watch the world fly by you in absolute comfort. The TRV® Cruisers are the most luxurious and powerful 2-up machines out there. Designed to give you a tandem riding experience like no other, with features like heated driver handlebar and passenger handgrips, lockable travel case, 2-piece fairing and windshield, and a plush passenger seat.



LOCKABLE TRAVEL CASE

The lockable travel case features a hard plastic exterior, painted to match your ride. Plus a gas-charged lift support on the lid to make loading and unloading easy. And of course it's lockable for safe, secure storage for your gear.



HEATED HANDGRIPS

The heated handgrips will keep your hands warm throughout the ride. Both driver and passenger have independent controls, so you can adjust the warmth however you want.



GENERAL FEATURES:

- Automotive-style paint
- Electronic power steering
- Duramatic automatic transmission
- Fully independent suspension with 11" of ground clearance
- Lockable travel case
- Fairing and windshield with cup holder and mirrors
- Deluxe digital/analog gauge
- Winch
- Aluminum rims
- 2WD/4WD with front differential lock





VERSATILE VOYAGERS



TRV 1000i - TRV 700i
TRV 550i - TRV 450i

2-UP TRAIL

GT PACKAGE

How much better can a long weekend cruise with that special someone holding on tight actually get? Well, if the machine you're riding is a TRV GT with aluminum rims, power steering and automotive-style paint ... much better, actually. Throw in an automatic transmission and a plush passenger seat — you can say it's almost perfect.



3-IN-1 SEAT

If you want to remove the passenger seat, go for it. Just pull two pins and replace it with a SpeedRack or a heavy-duty cargo box if you want. It's all up to you.



DIGITAL GAUGE

Easy-to-read digital instrumentation features mph, km/h, odometer, dual trip, hour, clock and gear indicators.



GENERAL FEATURES:

- Automotive-style paint (GT)
- Aluminum rims (GT)
- Electronic power steering (GT)
- Duramatic automatic transmission
- 3-in-1 removable seat
- Front SpeedRack
- Ride-In suspension with 11" of ground clearance
- 2WD/4WD
- Front differential lock
- Rear 2" receiver
- Powder-coated steel rims (TRV 450i)



TRV 1000i GT ● Color Option



TRV 700i GT ● ● Color Options



TRV 550i GT ● ● Color Options



TRV 450i ● Color Option

HARD DAY WORKERS



Shown with optional equipment



TBX 700i

UTILITY ATV

TBX 700i GT FEATURES:

- Engine: 695cc H1 EFI
- Duramatic automatic transmission
- Electronic power steering
- Automotive-style paint
- Aluminum rims
- Fully independent suspension
- Large tilting rear box
- 300-lb.-capacity cargo box
- Rear 2" receiver
- 2WD/4WD with front differential lock



700 SUPER DUTY DIESEL FEATURES:

- Engine: 686cc inline twin diesel
- Runs on 6 types of fuel: DF1, DF2, DF-Arctic, JP5, JP8 and Biodiesel
- Fully independent suspension
- Duramatic automatic transmission
- 2WD/4WD with front differential lock
- Large rear SpeedRack
- Rear 2" receiver
- Digital gauge



700 SUPER DUTY DIESEL

UTILITY ATV

700 DIESEL

Color Option

TBX 700i GT

Color Option





MIGHTY MITES



150

Color Option
●



90

Color Option
●



90 DVX

Color Option
●

150 90 - 90 DVX

YOUTH ATV

150 FEATURES:

- Engine: 149cc 4-stroke
- Duramatic automatic transmission
- Fully independent front suspension
- Preload adjustable shocks
- Front and rear racks
- Digital gauge
- Speed limiter
- Designed for riders 14+



150 REAR RACKS



These durable front and rear racks hold whatever your little rider needs to bring on the trail. Secure a tool box, a sweatshirt or a box of trail mix. All of this stuff fits nicely on your kid's rack. And best of all, your kid gets to look like one of the big boys.

90 / 90 DVX FEATURES:

- Engine: 90cc 4-stroke
- Duramatic automatic transmission with reverse
- Fully independent front suspension
- Speed limiter and safety flag
- Front and rear racks (90 Utility only)
- Headlight and taillight
- Designed for riders over 12

90 DVX TAILLIGHT

Now your kid can join the evening ride with a working headlight and taillight.



HUNTING

ACCESSORIES & ARCTICWEAR



LXC CAB KIT

Upgrade your Prowler with an LXC Cab Kit that features a sunroof, doors with sliding windows, and convenient front and rear tip-out windows, all of which provide excellent ventilation. Lightweight and spacious, the LXC Cab Kit also sports durable twin-sheet thermo-formed HDPE roof with stereo-ready headliner for maximum protection against the elements. Cab components fit perfectly with the XT 550i, XTX 700i and XTZ 1000i, and feature a high degree of finish. Now that's what we call upgrading the seemingly un-upgradable.



DELUXE GUN SCABBARDS AND MOUNTS

Removable, internal gun case features a black/Advantage Timber pattern. Tough, high-density polyurethane outer shell provides excellent protection. Fits both left- and right-handed guns. Gun scabbard mount bolts to the rear ATV rack.

Every hunter needs the right equipment. Arctic Cat gives you all the Side by Side and ATV ammo you'll need to track down your next wallhanger. Gun scabbards. Mounts. Deluxe treestand/bowcase holders. Zipperless rack bags. Those are just a few decoys to get you started. Grab a copy of the 2012 Accessories & Arcticwear Catalog. Or visit arcticcat.com.



RACKS, LIGHTS AND BUMPERS

- A WINCH** - Arctic Cat/WARN® designed and engineered with 3,000 lbs. of towing capacity and 50 ft. of cable.
- B DELUXE TREESTAND/BOWCASE HOLDER** - Made specifically to lock down treestands, bowcases or other bulky items.
- C MOLDED RACK BASKET** - Lightweight, quick-install front basket provides generous cargo space. **D GUN SCABBARD AND RAIL MOUNT KIT** - Allows you to mount gun scabbards or other accessories.
- E 4-LED LIGHT** - High-intensity, 3-watt bulbs for excellent illumination.
- F FRONT BUMPER** - Extra-stout front bumper protects grill, hood and headlights.



WORKING AND RIDING

ACCESSORIES & ARCTICWEAR



TIGERTRAX

With TigerTrax on your ATV or Prowler, getting through the snow, sand or swamp is easier than ever. And makes plowing more fun and less backbreaking. Extreme flotation supported by 3 rows of wheels helps you through the deepest snow. High-performance 10-inch-diameter UHMW wheels. Straight-tracking Ultralug guide system. And anti-rotation bar allows the track to lift over obstacles and eases steering effort.



tread lightly![®]
LEAVING A GOOD IMPRESSION™



SEATS, COVERS, TRAILERS AND PLOWS

- A HIGH-BACK SPORT SEAT** — High-strength carbon spring steel suspension gives you perfect comfort and high-performance fit.
- B SPORT BUMPERS** — Give your Prowler a cool off-road look with front and rear heavy-duty steel construction bumpers.
- C COVERS** — Protective, water-resistant, urethane-coated, 600-denier polyester with heavy-duty straps.
- D WINGS HENLEY LONG-SLEEVE SHIRT** — Catgirl-styled 100% cotton junior sportswear.
- E TRAILERS** — Rugged, high-impact polyethylene construction with 1,000-lb. payload capacity.
- F WINDPRO™ WINDSHIELDS** — Protect face, torso and hands from wind and debris. Easily removable.
- G 2-PIECE ROOF** — Durable polyethylene construction with textured, scratch-resistant surface.



PLOWS — Heavy-duty yet lightweight construction with a tough steel frame.

From work to riding, Arctic Cat has the accessories to get you on your way. From brushguard bumpers and windshields to SpeedRack and SPEEDPoint. We've got it. You know what else we have? Arcticwear. Jackets. Helmets. Riding gloves. Sportswear. Caps. Collectibles. Grab a copy of the 2012 Accessories & Arcticwear Catalog.

LOOK FOR US ONLINE AT:

ARCTICCAT.COM

2012 SPECIFICATIONS




WILDCAT 1000i H.O. PROWLER XTZ 1000i PROWLER HDX 700i PROWLER XTZ 700i PROWLER XT 550i MUDPRO 1000i LTD MUDPRO 700i LTD MUPRO 700i 1000i GT 700i LTD 700i GT 700i 550i LTD 550i GT 550i

Engine Displacement (cc)	951	951	695	695	545	951	695	695	951	695	695	951	695	695	545	545	545	
Engine Type	V-Twin SOHC 4-stroke, 4-valve w/EFI HO	V-Twin SOHC 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	V-Twin SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	V-Twin SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	
Bore & Stroke (mm)	92x71.6	92x71.6	102x85	102x85	92x82	92x71.6	102x85	102x85	92x71.6	102x85	102x85	92x71.6	102x85	102x85	92x82	92x82	92x82	
Cooling System	Liquid with twin fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	
Transmission	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	
Drive System	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	
Overall Width (in./cm)	64/162.6	61.5/156.2	60/152.4	61.5/156.2	61.5/156.2	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	
Overall Height (in./cm)	65.8/167	79/200.6	79/200.6	79/200.6	79/200.6	51.8/131.6	51.8/131.6	51.8/131.6	48/121.9	48/121.9	48/121.9	48/121.9	48/121.9	48/121.9	48/121.9	48/121.9	48/121.9	
Overall Length (in./cm)	120/304.8	118.75/301.6	129/327.7	118.75/301.6	118.75/301.6	94.5/240	86.5/219.7	84.8/215.4	84.8/215.4	86.5/219.7	84.8/215.4	84.8/215.4	84.8/215.4	86.5/219.7	84.8/215.4	84.8/215.4	84.8/215.4	
Wheelbase (in./cm)	90/228.6	75/190.5	85/215.9	75/190.5	75/190.5	58/147.3	50/127	50/127	52.5/133.4	50/127	50/127	50/127	50/127	50/127	50/127	50/127	50/127	
Suspension Travel — Front (in./cm)	17/43.2	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	
Suspension Travel — Rear (in./cm)	18/45.7	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	
Ground Clearance (in./cm)	13/33.0	10/25.4	10/25.4	10/25.4	10/25.4	14/35.6	14/35.6	14/35.6	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	
Suspension Type — Front	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	
Suspension Type — Rear	5-Link Trailing Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	
Front Brakes	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	
Rear Brake	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	
Tires — Front	26x9R14	27x9R14	27x9R14	27x9R14	27x9R14	28x9-14	28x9-14	28x9-14	26x9R12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	
Tires — Rear	26x11R14	27x11R14	27x11R14	27x11R14	27x11R14	28x11-14	28x11-14	28x11-14	26x11R12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	
Fuel Capacity (gal./liters)	9/34	8.2/31	8.2/31	8.2/31	8.2/31	5.3/20.1	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	5.7/21.6	
Rack Capacity — Front (lbs./kg)	N/A	N/A	N/A	N/A	N/A	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	
Rack/Box Storage Capacity — Rear (lbs./kg)	300/136.1	600/272.15	1000/454.5	600/272.15	600/272.15	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	200/90.8	
Underhood / Side Storage Capacity (lbs./kg)	N/A	25/11.34 / N/A	25/11.34 / N/A	25/11.34 / N/A	25/11.34 / N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Towing Capacity (lbs./kg)	N/A	1500/680.4	1500/681.82	1500/680.4	1500/680.4	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	
Alternator Capacity (amps)	36	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	25	
Speedometer	Analog	Analog	Analog	Analog	Digital	Analog	Analog	Analog	Analog	Analog	Analog	Digital	Digital	Digital	Analog	Digital	Digital	
Odometer	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	
Dry Weight (lbs./kg)	1305/592	1315/595.7	1363/619.55	1251/566.7	1230/557.9	851/386	800/353.8	780/353.8	772/350.2	701/318	691/313.4	676/307	701/318	691/313.4	676/307	691/313.4	676/306.6	
Minimum Operator Age	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	
Available Colors	Black Metallic Paint, Arctic Green Metallic Paint	Orange Metallic Paint	Emerald Green Metallic Paint, Tungsten Metallic Paint, Camo	Viper Blue Metallic Paint, Orange Metallic Paint, Steel Blue Paint	Viper Blue Metallic Paint, Tungsten Metallic Paint	Orange Metallic Paint	Orange Metallic Paint, Arctic Green Metallic Paint	Arctic Green Metallic Paint	Orange Metallic Paint	Arctic Green Metallic Paint	Viper Blue Metallic Paint, Tungsten Metallic Paint, Camo	Red	Desert Red Paint, Arctic Green Metallic Paint	Sunset Orange Paint, Steel Blue Paint, Camo	Black or Green			
Special Features	Electronic Power Steering, Aluminum Rims, Paint, Tilt Steering, Compression Valve, Adjustable Shocks, LED Headlights and Taillights	Power Steering, Aluminum Rims, Paint, Gas-Charged Shocks, Mirror, Maxxis Bighorn 2.0 Tires	Power Steering with HI Steering, Aluminum Rims, Paint, Camo Models, Rear FTR Floor, Cat Over Shocks, 3-Position Seat, Transferable Rear Cargo Box, Dashboard Shift Lever with Park, Side Storage Compartments	Aluminum Rims, Paint, Tilt Steering, Mirror	Aluminum Rims, Paint	Power Steering, 28" Maxxis Zilla Tires, Aluminum Rims, Paint, Front & Rear Bumpers, Winch	Power Steering, 28" Maxxis Zilla Tires, Aluminum Rims, Paint, Front & Rear Bumpers, Winch	28" Maxxis Zilla Tires, Aluminum Rims, Paint	Power Steering, Aluminum Rims, Paint, Maxxis Bighorn 2.0 Tires	Power Steering, Aluminum Rims, Paint, Front & Rear Bumpers, Winch	Power Steering, Aluminum Rims, Paint (Non-Camo Models)	Power Steering, Aluminum Rims, Paint, Front & Rear Bumpers, Winch	Power Steering, Aluminum Rims, Paint (Non-Camo Models)	Power Steering, Aluminum Rims, Paint, Front & Rear Bumpers, Winch	Power Steering, Aluminum Rims, Paint (Non-Camo Models)	Power Steering, Aluminum Rims, Paint (Non-Camo Models)	Power Steering, Aluminum Rims, Paint (Non-Camo Models)	Power Steering, Aluminum Rims, Paint (Non-Camo Models)

Specifications subject to change without notice.

Watch your favorite ATV or Side by Side in action, get machine info or find a dealer near you at arcticcat.com. You can also get the latest Arctic Cat news about upcoming events, promos and the latest Cat™ technology sent right to your inbox when you sign up for the Arctic Circle.™



2012 SPECIFICATIONS



450i GT 450i XC 450i 425 SE 425i 350 300 DVX 300 TRV 1000i Cruiser TRV 1000i GT TRV 700i Cruiser TRV 700i GT TRV 550i Cruiser TRV 550i GT TRV 450i GT TRV 450i TBX 700i GT 700 Super Duty Diesel 150 90 DVX 90

Engine Displacement (cc)	443	443	443	443	443	366	270	270	951	951	695	695	545	545	443	443	695	686	149	90	90	
Engine Type	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve	SOHC, 4-stroke, 2-valve	SOHC, 4-stroke, 2-valve	V-Twin SOHC 4-stroke 4-valve w/EFI	V-Twin SOHC 4-stroke 4-valve w/EF	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	SOHC, 4-stroke, 4-valve w/EFI	I-Twin, SOHC, 4-stroke, 2-valve	SOHC, 4-stroke, 2-valve	SOHC, 4-stroke, 2-valve	SOHC, 4-stroke, 2-valve	
Bore & Stroke (mm)	89x71.2	89x71.2	89x71.2	89x71.2	89x71.2	81x71.2	72.7x65.2	72.7x65.2	92x71.6	92x71.6	102x85	102x85	92x82	92x82	89x71.2	89x71.2	102x85	75x77.6	62x49.5	47x51.8	47x51.8	
Cooling System	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Air & oil cooled	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Liquid with fan	Air	Air	Air	Air
Transmission	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with Forward, Neutral & Reverse	Automatic CVT with Hi/Lo Range, Neutral & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with EBS, Hi/Lo Range & Reverse	Automatic CVT with Forward, Neutral & Reverse	Automatic CVT with Forward, Neutral & Reverse	Automatic CVT with Forward, Neutral & Reverse	
Drive System	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD	2/4 WD	2/4 WD	4 WD	2 WD	2 WD	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2/4 WD + Electric Diff Lock	2 WD	2 WD	2 WD	2 WD
Overall Width (in./cm)	47.5/120.6	47.5/120.6	47.5/120.6	44.5/113	44.5/113	44.5/113	44.7/113.5	41.4/105.16	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	47.5/120.6	37.4/95	34.5/87.6	34.5/87.6	34.5/87.6
Overall Height (in./cm)	48/121.9	48/121.9	46.8/118.9	46.3/117.6	46.3/117.6	46/116.8	44.7/113.5	44/111.8	55/139.7 w/o windshield	50.3/127.8	55/139.7 w/o windshield	50.3/127.8	55/139.7 w/o windshield	50.3/127.8	50.3/127.8	50.3/127.8	50.3/127.8	48/121.9	48/121.9	40.9/103.9	37.9/96.2	37.9/96.2
Overall Length (in./cm)	84.8/215.4	84.8/215.4	73.3/186.2	83.3/211.6	83.3/211.6	83.3/211.6	67.7/172	73.6/186.9	101/256.5	98.6/250.4	101/256.5	98.6/250.4	101/256.5	98.6/250.4	98.6/250.4	98.6/250.4	98.6/250.4	93/236.2	69.9/177.5	57.8/146.8	57.8/146.8	
Wheelbase (in./cm)	50/127	50/127	48/121.9	48/121.9	48/121.9	48/121.9	46.4/117.9	46.4/117.9	58/147.3	58/147.3	58/147.3	58/147.3	58/147.3	58/147.3	58/147.3	58/147.3	58/147.3	58/147.3	43.9/111.5	38.4/97.5	38.4/97.5	38.4/97.5
Suspension Travel — Front (in./cm)	10/25.4	10/25.4	7/17.8	7/17.8	7/17.8	7/17.8	6.1/15.5	5/12.6	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	3.5/8.9	2.8/7.1	2.8/7.1	2.8/7.1
Suspension Travel — Rear (in./cm)	10/25.4	10/25.4	7/17.8	7/17.8	7/17.8	7/17.8	6.1/16.5	5/12.6	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	10/25.4	3.5/8.9	2.9/7.3	2.9/7.3	2.9/7.3
Ground Clearance (in./cm)	11/27.9	11/27.9	10/25.4	10.3/26.1	10.3/26.1	10/25.4	10.5/26.7	10.2/25.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	11/27.9	7.5/19.1	7.25/18.4	7.25/18.4	7.25/18.4
Suspension Type — Front	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Single A-Arm	Single A-Arm	Single A-Arm
Suspension Type — Rear	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Swing Arm	Swing Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Double A-Arm	Swing Arm	Swing Arm	Swing Arm
Front Brakes	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Drum	Drum	Drum
Rear Brake	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc	Hydraulic Disc
Tires — Front	25x8-12	25x8-12	23x8-12	25x8-12	25x8-12	24x8-12	21x7-10	22x7-10	25x8R12	25x8R12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	25x8-12	21x7-10	20x7-8	20x7-8
Tires — Rear	25x10-12	25x10-12	23x10-12	25x10-12	25x10-12	24x10-12	20x11-9	22x10-10	25x10R12	25x10R12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	25x10-12	22x10-10	19x8-8	19x8-8
Fuel Capacity (gal./liters)	5.7/21.6	5.7/21.6	4.3/16.3	4.3/16.3	4.3/16.3	4.3/16.3	3.3/12.5	3.3/12.5	5.3/20.1	5.3/20.1	5.3/20.1	5.3/20.1	5.3/20.1	5.3/20.1	5.3/20.1	5.3/20.1	5.3/20.1	5.8/22.0	5.3/20.1	2.3/8.7	1.5/5.7	1.5/5.7
Rack Capacity — Front (lbs./kg)	100/45.4	100/45.4	N/A	75/34	75/34	75/34	N/A	50/22.7	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	100/45.4	25/11.3	N/A	10/4.5
Rack/Box Storage Capacity — Rear (lbs./kg)	200/90.8	200/90.8	N/A	150/68.1	150/68.1	150/68.1	N/A	100/45.4	35/15.9	50/22.7	35/15.9	50/22.7	35/15.9	50/22.7	50/22.7	50/22.7	50/22.7	300/136	200/90.8	50/22.7	N/A	15/6.8
Underhood / Side Storage Capacity (lbs./kg)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A / 20/9.1	N/A	N/A	N/A	N/A	N/A
Towing Capacity (lbs./kg)	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	N/A	500/226.8	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	1050/476.3	300/136	N/A	N/A	
Alternator Capacity (amps)	18	18	18	18	18	18	12.5	12.5	25	25	25	25	25	25	18	18	25	40	12.5	N/A	N/A	
Speedometer	Analog	Digital	Digital	Digital	Digital	Digital	N/A	Digital	Analog	Analog	Analog	Digital	Analog	Digital	Digital	Digital	Analog	Digital	Digital	N/A	N/A	
Odometer	Digital	Digital	Digital	Digital	Digital	Digital	N/A	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	N/A	N/A
Dry Weight (lbs./kg)	691/313.4	676/306.6	600/272	613/278	613/278	588/266.7	425/192.8	477/216.4	798/361.5	784/355.6	779/353	764/346.5	779/353	764/346.5	739/326.2	719/326.2	788/357.4	844/382.8	386/175	260/117.9	265/120.2	
Minimum Operator Age	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	16	14	Over 12	Over 12	
Available Colors	Viper Blue Metallic Paint, Sunset Orange Paint	Red, Green, Camo	Black Metallic Paint, Orange/Black Metallic Paint	Black Metallic Paint, Tungsten Metallic Paint	Red or Green	Red or Black	Orange	Red	Tungsten Metallic Paint	Arctic Green Metallic Paint	Sunset Orange Paint, Steel Blue Paint	Viper Blue Metallic Paint, Sunset Orange Paint	Tungsten Metallic Paint, Arctic Green Metallic Paint	Viper Blue Metallic Paint, Sunset Orange Paint	Sunset Orange Paint	Black	Tungsten Metallic Paint	Green	Black	Orange	Lime	
Special Features	Power Steering, Aluminum Rims, Paint	Aluminum Rims - Camo Only	Dual Taillights/Backup Lights, Aluminum Rims, Paint	Aluminum Rims, Paint					Power Steering, Aluminum Rims, Paint, Winch, Touring Case, Hand Warmers, 2-Piece Fairing, Mirrors	Power Steering, Aluminum Rims, Paint	Power Steering, Aluminum Rims, Paint, Winch, Touring Case, Hand Warmers, 2-Piece Fairing, Mirrors	Power Steering, Aluminum Rims, Paint	Power Steering, Aluminum Rims, Paint, Winch, Touring Case, Hand Warmers, 2-Piece Fairing, Mirrors	Power Steering, Aluminum Rims, Paint	Power Steering, Aluminum Rims, Paint		Power Steering, Aluminum Rims, Paint					

Specifications subject to change without notice.